



## *RPM R-10w30*

This product is not considered Hazardous according to criteria of "Worksafe Australia"

<i>PRODUCT TYPE</i>	Engine lubricating oil	
<i>CHEMICAL DESCRIPTION</i>	Synthetic Lubricating Oil	
<i>INGREDIENTS</i>	Refined Synthetic and chemical additives – not hazardous	
<i>PHYSICAL DATA</i>	Flash Point C	Typical > 200 C
	Boiling Point	>250°C
	Solubility in water	Negligible

### *FIRE AND EXPLOSION HAZARD DATA:*

Flash point over 170 C. Will not burn unless heated to high temperatures.

Extinguish fires with CO<sub>2</sub>, Dry Chemical, Foam or BCF.

Fire fighters should wear self-contained breathing apparatus if fire is in poorly ventilated area and is too large for hand-held extinguisher.

### *HEALTH HAZARD DATA*

EYE CONTACT:	May cause mild irritation
SKIN CONTACT:	May cause mild irritation
INHALATION:	May cause mild throat or nose irritation if inhaled at elevated temperatures
SWALLOWED:	May cause mild gastric irritation

### *EMERGENCY AND FIRST AID PROCEDURES:*

EYE CONTACT:	Flush with water for 15-20 minutes
SKIN CONTACT:	Wash with soap and water
INHALATION:	Remove to fresh air
SWALLOWING:	Do not induce vomiting

### IN ALL CASES SEEK MEDICAL ATTENTION IF DISCOMFORT PERSISTS

<i>REACTIVITY DATA:</i>	INCOMPATIBILITIES: Strong oxidisers
	Hazardous decomposition product
	Product is considered unstable

<i>SPILL OR LEAK PROCEDURE</i>	Contain spill and shut off all sources of possible ignition
	Absorb on fire retardant material, sand or earth.
	Follow State or Local Authority regulations for disposal.

<i>STORAGE AND HANDLING PROCEDURE</i>	<u>Not defined as Dangerous Goods for transport by road or rail.</u>
Store away from heat, oxidizing agents, foodstuffs and clothing. No health risks are expected as a result of normal handling.	

### REFERENCE:

ISSUE DATE:

March 2018

### FOR INFORMATION CONTACT:

Synforce (Aust.) Pty Ltd, P.O. Box 7181, Urangan, Hervey Bay, QLD. 4655

Telephone 07-41253531 Fax 07-41253521

Where the information provided in this bulletin indicates a potential hazard, adequate warning should be given to all

